

Attachment II – Impacts of Energy Efficiency Measures

| kWh Useage | Year | Net Bill Impact | Net Savings (\$) | | |
|----------------------|------|-----------------|------------------|----------|----------|
| | | | 1 CFL | 3 CFLs | 5 CFLs |
| 1500 kWh | 1 | \$0.05 | (\$0.37) | (\$1.22) | (\$2.07) |
| | 2 | \$0.57 | \$0.15 | (\$0.70) | (\$1.55) |
| | 3 | \$1.43 | \$1.01 | \$0.16 | (\$0.69) |
| | 4 | \$2.07 | \$1.65 | \$0.80 | (\$0.05) |
| 1000kWh (average) | 1 | \$0.03 | (\$0.39) | (\$1.24) | (\$2.09) |
| | 2 | \$0.38 | (\$0.04) | (\$0.89) | (\$1.74) |
| | 3 | \$0.95 | \$0.53 | (\$0.32) | (\$1.17) |
| | 4 | \$1.38 | \$0.96 | \$0.11 | (\$0.74) |
| 800 kWh | 1 | \$0.02 | (\$0.40) | (\$1.25) | (\$2.10) |
| | 2 | \$0.30 | (\$0.12) | (\$0.97) | (\$1.82) |
| | 3 | \$0.76 | \$0.34 | (\$0.51) | (\$1.36) |
| | 4 | \$1.10 | \$0.68 | (\$0.17) | (\$1.02) |
| 500kWh | 1 | \$0.02 | (\$0.40) | (\$1.25) | (\$2.10) |
| | 2 | \$0.19 | (\$0.23) | (\$1.08) | (\$1.93) |
| | 3 | \$0.48 | \$0.06 | (\$0.79) | (\$1.64) |
| | 4 | \$0.69 | \$0.27 | (\$0.58) | (\$1.43) |